

SPORTING BULLETIN

2011 AUSTRALIAN TOURING CAR MASTERS SERIES SPORTING AND TECHNICAL REGULATIONS – VERSION 2

REFERENCE:

CAMS Online Manual of Motor Sport, Sporting Regulations

<http://www.camsmanual.com.au/SportingRegulations.asp>

RATIONALE:

To amend the Sporting and Technical Regulations.

ACTION:

Amend Article T13 of the 2011 Australian Touring Car Masters Series Sporting and Technical Regulations as follows;

T13 ELECTRICAL SYSTEM

- (a) The alternator is free.
- (b) The battery and its location is free.
- (c) All fuses, wiring, relays and switches are free.
- (d) All electrically operated systems may be removed save for the following:
 - either high or low headlight beam
 - tail lights
 - stop lights
 - engine starting system
 - windscreen wipers

~~(e)~~ A high-intensity rain light is strongly recommended.

(f) A 'Keene Stall Light' manufactured by Motorsport Electrics and supplied by the CM shall be fitted to each automobile, located at the top of the rear window facing rearwards. It shall be permanently wired and be activated at any time the ignition switch is on and the motor is not running, and extinguish when the motor is running. The activation of the stall light shall only be triggered by the tachometer signal from the MSD ignition module.

Replace Appendix A of the 2011 Australian Touring Car Masters Series Sporting and Technical Regulations with the following;

APPENDIX A

Signage requirements for Touring Car Masters

License Holder signage space is noted below and shown on Diagram 1 in green. Whilst not limited by specific dimensions, License Holder signage space is limited to the general locations as shown. Areas reserved for Series sponsorship are defined below and as displayed on Diagram 1 in red. Series signage requirements take precedence over any License Holder signage. Modern graphics or colour schemes will not be permitted and sponsorship signage must be at a level consistent with that experienced in the early 1970s period. Competitors shall leave **exclusive space** for Series sponsor signage as follows:


- Area 1: Front windscreen strip.** An area 140mm in height and extending across the entire upper portion of the front windscreen.
- Area 2: Rear windscreen strip.** An area 85mm in height measured along the glass across the full upper **or** lower portion of the rear windscreen.
- Area 3a: The Front Doors.** A rectangle 650mm high x 800mm wide. This space is inclusive of the number panel.
- Area 3b:** A rectangle 80mm high x 550mm wide should be made available above 3a. For vehicles that do not have enough height in their doors to allow for both 3a and 3b, another location may be found for 3b in consultation with the Category Manager.
- Area 4 & 5: Number Plate front and rear.** A rectangle 380mm wide x 150mm high.
- Area 6: Bonnet.** A rectangular space on the forward most leading section of the bonnet or nose panel with a minimum size of 750mm wide x 140mm deep.
- Area 7: Headlights** are exclusively reserved. Where a car has four (4) or more headlights the outer headlights are reserved for series sponsorship and the inner lights must not contain any sponsor signage.
- Area 8: Front Guards.** A rectangle on the upper front of the guard 300mm wide x 150mm high. **Due to the position of signage on certain vehicles being impractical, the location of this area may be varied at the discretion of the CM.**
- Area 9: Sill area below Area 3.** An area below Area 3 and or the sill (subject to vehicle configuration) and located between the leading edge of the front door and the leading edge of the rear wheel arch below the door line.
- Area 10: Lower Rear Quarter (rear).** A rectangle located at the rear of the lower rear quarter of 350mm high x 400 mm width.
- Area 11: Forward face of rear spoiler.** The forward facing area of the rear spoiler exclusively reserved for series sponsorship.
- Area 12: Roof panel above front door openings.** Driver name (mandatory) with text in “Brush Script” font with 60mm for Capitals and 30mm for non Capitals.

Area 13: Front Windscreen car number in 'Dayglo' Yellow (mandatory. 150mm high, refer CAMS manual Schedule K) non driver side with class letter 50mm below.

NOTES:

- A. **TWO DOOR OR FOUR DOOR CARS** – Diagram # 1 depicts a two Door configuration. For a four door configuration the green shaded license holder signage for the Rear Quarter may include the rear door.
- B. **BONNET/NOSE PANEL SIGNAGE** - License holder signage must not extend beyond the bonnet panel and must not be within 100mm of the series sponsor signage space allocation.
- C. **BOOT SIGNAGE** – The boot panel is available for license holder signage which must not extend beyond the boot panel.
- D. **ROOF (NO SIGNAGE)** - The entire roof area must be free of any license holder signage.
- E. **C – PILLAR (NO SIGNAGE)** - The entire C pillar area must be free of any license holder signage.
- F. **BUMPERS** – No License holder signage is allowed on bumper bars.
- G. **FRONT SPOILER** – License holder signage is restricted to the areas depicted on front spoilers in Diagram 1
- H. **SILL AREA 9** – License holder signage to be no closer than 100mm of the series signage
- I. **VARIATION** - The Category Manager may at its discretion alter the aforementioned rules regarding overall Series and license holder Signage for all license holders, or specific variations for individual license holders. Such variations shall be authorised in writing by the Category Manager.
- J. **FITMENT OF SPONSOR SIGNAGE** – The Category Manager will advise License Holders in writing as to the size, format and layout of all Series Signage required on cars.

DIAGRAM 1



* Please refer to signage description sheet for allowable signage area

END